



Aalborg Universitet

AALBORG UNIVERSITY
DENMARK

Catalytic activity of doped SrFeO₃- perovskite-type oxide ceramics for degradation of water pollu-tants

Janowska, Katarzyna Joanna; Bortot Coelho, Fabrício E. ; Deganello, Francesca ; Magnacca, Giuliana; Boffa, Vittorio

Publication date:
2018

[Link to publication from Aalborg University](#)

Citation for published version (APA):

Janowska, K. J., Bortot Coelho, F. E., Deganello, F., Magnacca, G., & Boffa, V. (2018). *Catalytic activity of doped SrFeO₃- perovskite-type oxide ceramics for degradation of water pollu-tants*. Abstract from 2nd Nordic Conference on Ceramic and Glass Technology, Roskilde, Denmark.

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal -

Take down policy

If you believe that this document breaches copyright please contact us at vbn@aub.aau.dk providing details, and we will remove access to the work immediately and investigate your claim.

Catalytic activity of doped SrFeO_{3-δ} perovskite-type oxide ceramics for degradation of water pollutants

Katarzyna Janowska^{1,*}, Fabrício E. Bortot Coelho³, Francesca Deganello², Giuliana Magnacca³,
Vittorio Boffa¹

¹Department of Chemistry and Bioscience, Aalborg University, Fredrik Bajers Vej 7H, DK-9220 Aalborg East, Denmark.

²Istituto per lo Studio dei Materiali Nanostrutturati, Consiglio Nazionale delle Ricerche, Via Ugo La Malfa 153, 90146 Palermo, Italy.

³Dipartimento di Chimica, Università di Torino, Via P. Giuria 7, 10125 Torino, Italy.

*Presenting author. E-mail: kaj@bio.aau.dk

Due to the global increase of water pollution, the interest in the use of high efficiency and environmentally friendly technologies for water purification has been growing. Such methodologies must also be characterized by low cost and low energy consumption. In recent years, finding a proper method of removal of contaminants of emerging concerns (CECs) is becoming a priority, as their presence has been recognized as a major risk for human, wildlife and the environment [1]. Among different methods, degradation of water pollutant using catalytic properties of perovskites [2],[3],[4] is becoming nowadays significant area of interest. This is mainly due to its property of •OH radicals generation participating in abatement of organic pollutants [5], [6]. Moreover, perovskite oxides are synthesized by solution combustion synthesis (SCS) which is a fast process, which yields powders with high purity and high porosity [7].

In this work the perovskite-type cerium-doped strontium ferrite Sr_{0.85}Ce_{0.15}FeO_{3-δ} (SCF) was synthesized by solution combustion synthesis from citric acid. The purpose in this study was to investigate thermo-catalytic properties of this perovskite for the degradation of Bisphenol A and other model CECs. Structure of perovskite material was characterized by X-ray diffraction, for morphology by high-resolution transmission electron microscopy (HRTEM) and scanning electron microscope (SEM). Surface area was measured by Brunauer-Emmett-Teller (BET) analysis and surface charge was investigated by zeta potential measurements. In order to determine degradation of contaminants in different temperatures, samples were collected in specified time ranges and analysed by high-performance liquid chromatography (HPLC). Experimental results indicated that a significantly higher catalytic activity of Sr_{0.85}Ce_{0.15}FeO_{3-δ} was observed with increase of temperature. The present study reveals that this ceramic catalyst can be a promising material for the effective removal of contaminants for water purification application.

References:

- [1] S. Kim *et al.*, "Removal of contaminants of emerging concern by membranes in water and wastewater: A review," *Chem. Eng. J.*, 2017.
- [2] S. Lu, G. Wang, S. Chen, H. Yu, F. Ye, and X. Quan, "Heterogeneous activation of peroxymonosulfate by LaCo_{1-x}Cu_xO₃perovskites for degradation of organic pollutants," *J. Hazard. Mater.*, vol. 353, no. November 2017, pp. 401–409, 2018.

- [3] Y. Chu *et al.*, "Efficient removal of organic and bacterial pollutants by Ag-La_{0.8}Ca_{0.2}Fe_{0.94}O_{3-Δ}perovskite via catalytic peroxymonosulfate activation," *J. Hazard. Mater.*, vol. 356, no. May, pp. 53–60, 2018.
- [4] J. Miao, J. Sunarso, X. Duan, W. Zhou, S. Wang, and Z. Shao, "Nanostructured Co-Mn containing perovskites for degradation of pollutants: Insight into the activity and stability," *J. Hazard. Mater.*, vol. 349, no. September 2017, pp. 177–185, 2018.
- [5] M. L. Tummino, E. Laurenti, F. Deganello, A. Bianco Prevot, and G. Magnacca, "Revisiting the catalytic activity of a doped SrFeO₃ for water pollutants removal: Effect of light and temperature," *Appl. Catal. B Environ.*, vol. 207, pp. 174–181, 2017.
- [6] C. Srilakshmi, R. Saraf, and C. Shivakumara, "Effective Degradation of Aqueous Nitrobenzene Using the SrFeO_{3-δ} Photocatalyst under UV Illumination and Its Kinetics and Mechanistic Studies," *Ind. Eng. Chem. Res.*, vol. 54, no. 32, pp. 7800–7810, 2015.
- [7] S. Wójcik, G. Ercolino, M. Gajewska, C. W. M. Quintero, S. Specchia, and A. Kotarba, "Robust Co₃O₄|α-Al₂O₃|cordierite structured catalyst for N₂O abatement – Validation of the SCS method for active phase synthesis and deposition," *Chem. Eng. J.*, 2018.